

Jaw Specification for:

PC24-205-01

T Slot Width: 22mm
Serration: 3.0mm x 60°

All Dimensions in mm unless noted



100 Years of Manufacturing Excellence


	T-Nut Part Number:		PC18-165-01-05	
	Slot Width (C)	22	Height (A)	39.5
	Bolt Spacing (E)	50	Weight	0.27 lbs
	Screw Size	M20-P2.5	Width (B)	34
	Recess (D)	19.5	Length (F)	80

Soft Top Jaws If G=SQ, Jaw is Square Face 	Part Number	A	B	C	D	E	F	G	Material
		PC21-180-01-04	180	70	65	22	50	50	SQ
	PC18-165-01-04-T3	209.6	76.2	63.5	22	38.1	50	3.2	Steel
	PC18-165-01-04-T4	209.6	101.6	63.5	22	38.1	50	3.2	Steel
	PC18-165-01-04-A	209.6	76.2	63.5	22	38.1	50	3.2	Aluminum
	PC18-165-01-04-AT4	209.6	101.6	63.5	22	38.1	50	3.2	Aluminum

Hard Top Jaws 	Part Number	A	B	C	D	F	K	Material
		PC18-165-01-06-SS	63.5	88.1	165.1	22	50	48.3

Hard Top Jaws (2 Step) 	Part Number	A	B	C	D	F	K	L	Material
		PC18-165-01-06	63.5	88.9	165.1	22	50	24.1	48.3

Pie Jaws



Part Number	A	B	D	F	J	Material
PC24-205-01-04-P	609.6	76.2	22	50	136.5	Aluminum
PC24-205-01-04-P4	609.6	101.6	22	50	136.5	Aluminum

Jaw Specification for:

PC24-205-01

T Slot Width: 0.866"
Serration: 3.0mm x 60°

All Dimensions in inches unless noted



100 Years of Manufacturing Excellence


	T-Nut Part Number:		PC18-165-01-05	
	Slot Width (C)	0.866	Height (A)	1.555
	Bolt Spacing (E)	1.969	Weight	0.27 lbs
	Screw Size	M20-P2.5	Width (B)	1.339
	Recess (D)	0.768	Length (F)	3.150

Soft Top Jaws If G=SQ, Jaw is Square Face 	Part Number	A	B	C	D	E	F	G	Material
		PC21-180-01-04	7.087	2.756	2.559	0.866	1.969	1.969	SQ
	PC18-165-01-04-T3	8.252	3	2.5	0.866	1.5	1.969	0.13	Steel
	PC18-165-01-04-T4	8.252	4	2.5	0.866	1.5	1.969	0.13	Steel
	PC18-165-01-04-A	8.252	3	2.5	0.866	1.5	1.969	0.13	Aluminum
	PC18-165-01-04-AT4	8.252	4	2.5	0.866	1.5	1.969	0.13	Aluminum

Hard Top Jaws 	Part Number	A	B	C	D	F	K	Material
		PC18-165-01-06-SS	2.5	3.469	6.5	0.866	1.969	1.902

Hard Top Jaws (2 Step) 	Part Number	A	B	C	D	F	K	L	Material
		PC18-165-01-06	2.5	3.5	6.5	0.866	1.969	0.949	1.9

Pie Jaws



Part Number	A	B	D	F	J	Material
PC24-205-01-04-P	24	3	0.866	1.969	5.374	Aluminum
PC24-205-01-04-P4	24	4	0.866	1.969	5.374	Aluminum